

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/660,484	09/12/2003	Hidekazu Ozawa	117103	6333	
25944 OLIFF & BER	7590 01/09/2008 RIDGE, PLC		EXAMINER		
P.O. BOX 320850			LETT, TH	LETT, THOMAS J	
ALEXANDRIA	A, VA 22320-4850		ART UNIT PAPER NUMBER		
			2625		
			MAIL DATE	DELIVERY MODE	
			01/09/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Summary	10/660,484	OZAWA ET AL.			
Office Action Summary	Examiner	Art Unit			
THE WALL INC. DATE AND A CONTROL OF THE CONTROL OF	Thomas J. Lett	2625			
The MAILING DATE of this communication app Period for Reply	lears on the cover sheet with the	e correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period way reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from the course the application to become ABANDO	ON. timely filed om the mailing date of this communication. NED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 18 Oc	<u>ctober 2007</u> .				
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL . 2b) This action is non-final.				
3) Since this application is in condition for allowar	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	•				
4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-19 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.				
9) The specification is objected to by the Examine 10) The drawing(s) filed on 12 September 2003 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	are: a) \square accepted or b) \square objection of accepted or b) \square objection is required if the drawing(s) is \square	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).			
, 					
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the attached detailed Office action for a list of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the certifi	s have been received. s have been received in Applica ity documents have been rece u (PCT Rule 17.2(a)).	ation No ived in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summa Paper No(s)/Mail				

10/660,484 Art Unit: 2625

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-19 have been considered but are moot in view of the new grounds of rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-4, 5-14, 16, 17 and 19 are rejected under 35 U.S.C. 102(e) as being anticipated by Webb et al (US 5,727,135).

Regarding claim 1, Webb et al disclose an image processing apparatus (host computer 11 of figure 1) comprising:

an acquisition component that communicates over a network (LAN 21) with a device (printer 16 of figure 1) that controls a series of processes (printing functions of a control panel) to be applied to document data, the acquiring component acquiring an instruction from the device, the instruction instructing to perform a first process included in the series of processes and including setting information representing a setting of the first process;

a display component (display 13) that <u>displays</u> screen information, including an operation screen (MarkVision Printer Utility software) for setting a piece of setting information

Application/Control Number:

10/660,484

Art Unit: 2625

described in the instruction (setting of a pushbutton function on a console menu, col. 10, lines 48-55):

a designation component (MarkVision Printer Utility has a "MORE" component that will display settings that are restricted from view, col. 10, Table 1) that, when the setting information included in the instruction has an attribute representing that changing of the setting information is restricted, designates as a display pattern of the setting information having the attribute a display pattern that is different from a display pattern of changeable setting information (display pattern will be changed when "MORE" is selected); and

a display information control component (MarkVision Printer Utility software) that controls the display component to display the screen information for displaying the operation screen in accordance with the display pattern that is different from the display pattern of changeable setting information.

Regarding claim 2, Webb et al disclose an image processing apparatus of claim 1, wherein the designation component designates a display pattern in which the setting information is not displayed (MarkVision Printer Utility has a "MORE" component that will designate settings that are restricted from view, col. 10, Table 1).

Regarding claim 3, Webb et al disclose an image processing apparatus of claim 1, wherein the designation component designates as the display pattern a pattern in which image information representing that the setting information is unchangeable is added (MarkVision Printer Utility has a "Setup Menu" component that will specify printer control, i.e., add settings, col. 10, Table 1).

Regarding claim 4, Webb et al disclose an image processing apparatus of claim 1, wherein the designation component designates as the display pattern a pattern in which the setting information is fixed (MarkVision Printer Utility software of figure 1 with default values).

Regarding claim 6, Webb et al disclose an image processing apparatus (host computer 11 of figure 1) comprising:

an acquisition component described that communicates over a network (LAN 21) with a device (printer 16 of figure 1) that controls a series of processes (printing functions of a control panel) to be applied to document data, the acquiring component acquiring an instruction from the device, the instruction instructing to perform a first process included in the series of processes and including setting information representing a setting of the first process (printing function/command);

a display component (MarkVision Printer Utility software) that displays screen information, including an operation screen for setting a piece of setting information described in the instruction (setting of a pushbutton function on a console menu, col. 10, lines 48-55);

an input component for inputting the setting information (any pushbutton of Table 1); and an evaluation component (MarkVision Printer Utility software shows any controls of a printer device) for evaluating, when setting information included in the instruction has an attribute representing that the setting information is changeable, the setting information input by the input component on the basis of the attribute (the emulation of the printer control panel will reflect/mimic whether a setting is changeable.).

Regarding claim 7, Webb et al disclose an image processing apparatus of claim 6, wherein the evaluation component evaluates, when an inputtable range of the setting information is expressed as the attribute, whether an input value of the setting information obtained by the input component falls within the inputtable range (the emulation of the printer control panel will reflect/mimic whether a setting falls within an inputtable range.)

Regarding claim 8, Webb et al disclose an image processing apparatus of claim 6, wherein the evaluation component evaluates, when input essentiality of the setting information

Application/Control Number:

10/660,484

Art Unit: 2625

is expressed as the attribute, whether inputting of the setting information is performed by the input component (MarkVision Printer Utility software is an emulator program that determines the input button source.).

Regarding claim 9, Webb et al disclose an image processing apparatus of claim 6, wherein the evaluation component evaluates, when an input character type of the setting information is expressed as the attribute, whether an input value of the setting information obtained by the input component is the input character type (font settings, col. 10, Table 1).

Regarding claim 10, Webb et al disclose an input processing apparatus of claim 6, wherein the display component further displays an evaluation result obtained by the evaluation component (font settings, col. 10, Table 1).

Regarding claim 11, Webb et al disclose an image processing apparatus of claim 6, further comprising a change component for changing input setting information to predetermined setting information when an evaluation result obtained by the evaluation component is evaluated to be incorrect (resetting values to user default values, col. 10, table 1).

Regarding claim 12, Webb et al disclose an image processing apparatus of claim 6, further comprising a setting information storage component for storing setting information input by the input component, wherein, when the next screen is displayed (a "MORE" pushbutton allows for a next screen of additional settings, and a selection of a different printer allows for display of the next printer's settings), the setting information stored in the setting information storage component is used.

Regarding claim 13, Webb et al disclose an image processing method which can acquire, by communication over a network, an instruction from a device that controls a series of processes to be applied to document data, the instruction instructing to perform a first process

included in the series of processes and including setting information representing a setting of the first process, the image processing method comprising the steps of:

displaying a screen on the basis of screen information, including <u>an operation</u> screen for setting a piece of setting information described in the instruction (any pushbutton of Table 1);

designating, when the setting information included in the instruction has an attribute representing that changing of the setting information is restricted, as a display pattern of the setting information having the attribute a display pattern that is different from a display pattern of changeable setting information (MarkVision Printer Utility has a "MORE" component that will designate settings that are restricted from view, col. 10, Table 1); and

outputting screen information for displaying the setting information in accordance with the display pattern (MarkVision Printer Utility software shows any controls of a printer device).

Claim 14, a method claim, is rejected for the same reason as claim 6.

Regarding claim 16, Webb et al disclose an image processing apparatus according to claim 1, further comprising a transmission component that transmits over the network to the device a result of the first process being processed according to the setting information set by a user operating the operation screen (printer "detailed status" using the MarkVision Utility.)

Regarding claim 17, Webb et al disclose an image processing apparatus according to claim 1, wherein the setting information includes a setting item and a setting value corresponding to the setting item to be set by the user (a printer's "detailed status" using the MarkVision Utility.)

Regarding claim 19, Webb et al disclose an image processing apparatus according to claim 1, wherein the series of processes is to be processed by a plurality of processing devices, each of the processing devices corresponding to each of the processes and communicating over the network (emulation of a plurality of printers shown in figure 8; e.g., "Boris Porky P").

10/660,484 Art Unit: 2625

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Webb et al (US 5,727,135) in view of Nakagiri et al (US 6,924,826 B1).

Regarding claim 5, Webb et al do not disclose an image processing apparatus of claim 1, wherein, when a usage authorization is set in the setting information included in the instruction, the designation component designates the display pattern on the basis of the usage authorization.

Nakagiri et al teach usage authorization parameters in figure 23.

Webb et al and Nakagiri et al are analogous art because they are from the similar problem solving area of image processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to add the feature of Nakagiri et al to Webb et al in order to obtain designation of a display pattern on the basis of the usage authorization. The motivation for doing so would be to authorize use of settings.

4. Claims 15 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Webb et al (US 5,727,135) in view of Mochizuki (US 6,804,018 B1).

Regarding claim 15, Webb et al do not disclose that a first process includes at least one of a noise reduction process of an image included in the document data, an image rotation

Application/Control Number:

10/660,484 Art Unit: 2625

process of the image, an Optical Character Recognition (OCR) process of the image, and an image binding process of the image.

Mochizuki teaches a printer with an OCR capability, col. 6, lines 39-48 and thus the OCR settings would be emulated on the display of Webb et al.

Webb et al and Mochizuki are analogous art because they are from the similar problem solving area of image processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to add the feature of Mochizuki to Webb et al in order to obtain emulation that incorporates OCR functions of a network printer. The motivation for doing so would be to read document text.

Regarding claim 18, Webb et al do not disclose that a series of processes comprises at least two of a copying process, a printing process, a scanning process, a facsimile transmitting process, a facsimile receiving process, an e-mail deliver operation process, a storing in a repository process, a reading from the repository operation, an OCR (Optical Character Recognition) process of an image, and a noise reduction process of an image.

Mochizuki teaches a printer with an OCR capability, col. 6, lines 39-48 and thus the OCR settings would be emulated on the display of Webb et al as well as printing.

Webb et al and Mochizuki are analogous art because they are from the similar problem solving area of image processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to add the feature of Mochizuki to Webb et al in order to obtain emulation that incorporates OCR and printer functions of a network printer. The motivation for doing so would be to read document text and document printing.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas J. Lett whose telephone number is (571) 272-7464. The examiner can normally be reached on 8-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on (571) 272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/TL/ AU 2625

DOUGLAS Q.TRAN
PRIMARY EXAMINER